



ENDLESS STEEL WIRE ROPE SLINGS

- ★ Maximum loads and the highest reliability.
- ★ With the assistance of endless steel wire rope sling, weights up to 2000 tons are possible when lifting and transporting heavy loads.
- ★ It is available as IWRC and fiber core.
- ★ By combining several endless steel wire rope slings, heavier loads can be lifted.
- ★ The comparatively easy handling due to flexibility even for large diameters.


Fiber core endless steel wire rope slings (TS EN 13414-3)



| Rope Diameter (mm) | Working Load Limits (kg) | Minimum Circumference (m) | Weight (kg/m) |
|--------------------|--------------------------|---------------------------|---------------|
| 12 | 2.100 | 0,42 | 0,48 |
| 15 | 3.000 | 0,53 | 0,61 |
| 18 | 4.300 | 0,63 | 0,87 |
| 21 | 6.000 | 0,74 | 1,28 |
| 24 | 7.700 | 0,84 | 1,58 |
| 27 | 9.700 | 0,95 | 1,95 |
| 30 | 11.500 | 1,05 | 2,70 |
| 33 | 14.000 | 1,16 | 3,08 |
| 36 | 16.500 | 1,26 | 3,75 |
| 39 | 19.500 | 1,37 | 4,43 |
| 42 | 22.500 | 1,47 | 5,25 |
| 48 | 29.500 | 1,68 | 6,98 |
| 54 | 37.200 | 1,89 | 7,95 |
| 60 | 46.000 | 2,11 | 10,05 |



IWRC endless steel wire rope slings (TS EN 13414-3)



| Rope Diameter (mm) | Working Load Limits (kg) | Minimum Circumference (m) | Weight (kg/m) |
|-----------------------|-----------------------------|------------------------------|------------------|
| 24 | 9.500 | 0,84 | 1,82 |
| 27 | 12.500 | 0,95 | 2,31 |
| 30 | 15.000 | 1,05 | 2,85 |
| 33 | 18.500 | 1,16 | 3,79 |
| 36 | 21.500 | 1,26 | 4,51 |
| 39 | 25.500 | 1,37 | 5,30 |
| 42 | 29.600 | 1,47 | 6,15 |
| 48 | 39.000 | 1,68 | 8,03 |
| 54 | 49.000 | 1,89 | 10,20 |
| 60 | 60.000 | 2,15 | 12,53 |
| 66 | 75.000 | 2,36 | 15,15 |
| 72 | 92.000 | 2,57 | 18,08 |
| 78 | 112.000 | 2,78 | 21,23 |
| 84 | 132.000 | 2,99 | 24,60 |
| 90 | 158.000 | 3,21 | 28,20 |
| 96 | 178.000 | 3,42 | 32,10 |
| 102 | 216.000 | 3,64 | 36,23 |
| 108 | 252.000 | 3,85 | 40,56 |
| 114 | 290.000 | 4,06 | 45,30 |
| 120 | 333.000 | 4,29 | 50,18 |
| 126 | 380.000 | 4,49 | 55,35 |
| 132 | 434.000 | 4,71 | 60,75 |
| 144 | 560.000 | 5,14 | 72,30 |
| 156 | 716.000 | 5,56 | 84,75 |

